


Projector Reference Guide

Office/Classroom | Ultra Portable | Short Throw | Home Entertainment



Office | Classroom



Projector	IN119HDG	IN119HDxa	IN110xv Series	IN110xa Series	IN130 Series	IN2130 Series	IN3140 Series	INL3100 Series
Key Features	<ul style="list-style-type: none"> • 3,800 lumens and 28,500:1 contrast ratio • Full 1920 x 1080 HD • Lamp life up to 15,000 hours • Customize which source is selected when you power up • Image Shift (VGA input) • Edge Masking • 3D capable 	<ul style="list-style-type: none"> • 3,600 lumens • Ultra-low purchase price • Long life lamp lowers costs even more • High 28,000:1 contrast ratio • Weighs 5.5 lbs • HDMI connectivity • 3D capable 	<ul style="list-style-type: none"> • 3,800 lumens • 15,000 hour lamp life in Dynamic Mode • High 26,000:1 contrast ratio and high brightness • HDMI connectivity • 3D capable 	<ul style="list-style-type: none"> • 3,800 lumens • 15,000 hour lamp life in Dynamic Mode • High 26,000:1 contrast ratio and 3,800 lumens • 2 HDMI inputs, VGA, video, and audio capability • 3D capable 	<ul style="list-style-type: none"> • 4,000 lumens • 28,500:1 contrast ratio • TechStation lets you customize with devices like Google Chromecast, Intel PC stick, and more • Powered HDMI for mobile charging and device power • Long-life lamp up to 15,000 hours • Whisper-quiet design • 3D capable 	<ul style="list-style-type: none"> • 4,500 lumens and 28,500:1 contrast ratio • TechStation lets you customize with devices like Google Chromecast, Intel PC stick, and more • Powered HDMI for mobile charging and device power • Long-life lamp up to 15,000-hours • Exceptional sound quality • 3D capable 	<ul style="list-style-type: none"> • 5,000 lumens • Up to 1080p (1920 x 1080) native resolution • 1.5x optical zoom • 10W speaker • 2 1.4 HDMI, VGA and more • Network Monitoring • 3D support for Blu-ray and more 	<ul style="list-style-type: none"> • 5,500 lumens and full 1920 x 1080 HD or WUXGA resolution • Quantum Color Engine for vivid, ultra-long-lasting images • 30,000-hour light source • HDBaseT connectivity for simultaneous video and audio
Technology	DLP with BrilliantColor™							InFocus DLP Quantum Color Engine
Resolution	1080p	1080p	IN112xv - SVGA IN114xv - XGA IN116xv - WXGA	IN112xa - SVGA IN114xa - XGA IN116xa - WXGA	IN134 - XGA IN136 - WXGA IN138HD - 1080p	IN2134 - XGA IN2136 - WXGA IN2138HD - 1080p	IN3144 - XGA IN3146 - WXGA IN3148HD - 1080p	INL3148HD - 1080p INL3149WU - WUXGA
Brightness (Max Lumens)	3,800	3,600	3,800	3,800	4,000	4,500	5,000	5,500
Lamp Life (Hours)	15,000 (Dynamic) / 10,000 (Eco) / 5,000 (normal)	15,000 (Dynamic) / 7,000 (Eco) / 5,000 (normal)	15,000 (Dynamic) / 7,200 (low) / 6,000 (normal)		15,000 (Dynamic) / 10,000 (low) / 5,500 (normal)	15,000 (Dynamic) / 10,000 (low) / 5,000 (normal)	6,000 (Dynamic) / 4,500 (low) / 3,500 (normal)	30,000
Contrast Ratio	28,500:1	28,000:1	26,000:1	26,000:1	28,500:1		16,000:1	500,000:1
Weight	6.39 lbs / 2.9 kg	5.5 lbs / 2.5 kg			7.05 lbs / 3.2 kg	7.05 lbs / 3.2 kg	6.9 lbs / 3.1 kg	12.1 lbs / 5.5 kg
Connectivity	HDMI 1.4a x 2, VGA x 1, 3.5mm Audio in, Monitor Out (VGA), 3.5mm Audio Out, RS232, Infrared Remote, 3.5mm 12V Screen Trigger, USB-A (Service), VESA standard 3D sync	HDMI x2 (1.4a 3D support) + MHL v2.1, Audio Out 3.5mm, 12V trigger, 3D-Sync, USB service	HDMI v1.4b, VGA, Composite S-Video	VGA x 2, Composite S-Video, HDMI v1.4b x 2 (No net), 3.5mm stereo input x 2, Monitor Out (VGA), 3.5 mm stereo out, RS232	HDMI 1.4a x 3 (with 1.4a 3D support), VGA, Composite Video, 3.5mm Audio, USB-A (TechStation Connection), Monitor Out (VGA), 3.5mm Audio Out IN138HD only: Also includes 3D Sync, 12V Screen Trigger	HDMI 1.4a x 3 (with 1.4a 3D support), VGA, Composite Video, 3.5mm Audio, USB-A (TechStation Connection), Monitor Out (VGA), 3.5mm Audio Out, Network (RJ45, Telnet, ProjectorNet, Crestron Roomview, AMX Device Discovery, Browser), Infrared Remote, RS232	HDMI v1.4a x 2, VGA x 2, Composite, S Video, 3.5mm Input, RCA L/R audio, USB mini (for service), 3.5mm Microphone, VGA Out, 3.5mm 12V Screen trigger, USB-A 5V1.5A, 3.5mm Output, RS232, Network (RJ45, Telnet, ProjectorNet, Crestron Roomview, AMX Device Discovery, Browser), Infrared Remote	1 x HDMI 2.0 (4K), 1 x HDMI 1.4, 2x VGA, 1x Composite, 1 x Svideo, 2 x 3.5mm Audio In (1 for MIC), 1xHDBaseT, 1 x Monitor out 1 x 3.5mm Audio Out, USB-A (Service / 5V 1.5A), RS232, RJ45 (Web Page / Crestron Control)
Throw Ratio	1.47-1.62	1.124 - 1.47	IN112xv - 1.95 - 2.15 IN114xv - 1.95 - 2.15 IN116xv - 1.55 - 1.70	IN112xa - 1.95 - 2.15 IN114xa - 1.95 - 2.15 IN116xa - 1.55 - 1.70	IN134 - 1.94 - 2.16 IN136 - 1.54 - 1.72 IN138HD - 1.12 - 1.47	IN2134 - 1.48 - 1.93 IN2136 - 1.18 - 1.54 IN2138HD - 1.12 - 1.47	IN3144 - 1.83 - 2.75 IN3146 - 1.46 - 2.20 IN3148HD - 1.46 - 2.20	1.4-2.24
Replacement Lamp	SP-LAMP-103	SP-LAMP-100	SP-LAMP-097		SP-LAMP-101		SP-LAMP-098	n/a

Ultra Portable



Short Throw



Projector	IN1100 Series	IN130ST Series
Key Features	<ul style="list-style-type: none"> • 3,000 lumens for bright images in any lighting • Full 1920 x 1080 HD resolution • Ultra-portable LED projection • Connect via HDMI and VGA with ease • Durable, road-tested design that's built to last • PC-less display from USB drive or 4GB of memory • Quantum Color Engine for vivid, ultra-long-lasting images • 30,000-hour light source life • Support for AirPlay and MiraCast 	<ul style="list-style-type: none"> • 4,000 lumens and short throw lens for big, bright images close up • 28,500:1 contrast ratio • TechStation lets you customize with devices like Google Chromecast, Intel PC stick, or more • Powered HDMI for mobile charging and device power • Long-life lamp up to 15,000 hours • Whisper-quiet design • Exceptional audio
Technology	InFocus DLP Quantum Color Engine	DLP with BrilliantColor™
Resolution	IN1156 - WXGA (1280×800) IN1188HD - 1080p (1920×1080)	IN134ST - XGA (1024 x 768) IN136ST - WXGA (1280x800) IN138HDST - 1080p (1920x1080)
Brightness (Max Lumens)	3,000	4,000
Lamp Life (Hours)	30,000	15,000 (Dynamic) / 10,000 (low) / 5,000 (normal)
Contrast Ratio	1,000,000:1	28,500:1
Weight (lbs)	4.4	7.05
Connectivity	2x USB (Wifi / Multimedia), HDMI, VGA, Composite, 3.5mm Audio In, 3.5mm Audio Out	HDMI 1.4a x 3 (with 1.4a 3D support), VGA, Composite Video, 3.5mm Audio, USB-A (TechStation Connection), Monitor Out (VGA), 3.5mm Audio Out, Network (RJ45, Telnet, ProjectorNet, Crestron Roomview, AMX Device Discovery, Browser), Infrared Remote, RS232; IN138ST only: Also includes 3D Sync, 12V Screen Trigger
Throw Ratio	1.2	IN134ST - 0.626 IN136ST - 0.521 IN138HDST - 0.499
Replacement Lamp	n/a	SP-LAMP-101



Home Entertainment



Projector	SP1081HD	SP2080HD
Key Features	<ul style="list-style-type: none"> • 3,800 lumens and 28,500:1 contrast ratio • Full 1920 x 1080 HD resolution • BrilliantColor technology • Super-low latency for less lag and ultra-fast response times • Remote mouse control • Customize which source is selected when you power up • 3D capable 	<ul style="list-style-type: none"> • 4,000 lumens and high 32,000:1 contrast ratio • Full 1920 x 1080 HD • BrilliantColor technology • Super-low latency for less lag and ultra-fast response times • TechStation lets you customize with devices like Google Chromecast, Amazon Fire TV Stick, and Roku Streaming Stick • Remote mouse control • Customize which source is selected when you power up • Screen Trigger and 3D Sync
Technology	DLP with BrilliantColor™	DLP with BrilliantColor™
Resolution	1080p	1080p
Brightness (Max Lumens)	3,800	4,000
Lamp Life (Hours)	Up to 15,000	Up to 15,000
Contrast Ratio	28,500:1	32,000:1
Weight (lbs)	6.39	7.05
Connectivity	HDMI 1.4a x 2, VGA x 1, 3.5mm Audio In, Monitor Out (VGA), 3.5mm Audio Out	HDMI 1.4a x 2, VGA x 1, 3.5mm Audio In, Monitor Out (VGA), 3.5mm Audio Out
Throw Ratio	1.47-1.62	1.12~1.47
Replacement Lamp	SP-LAMP-103	SP-LAMP-101



ScreenPlay
by InFocus